

item number	item group discount group	description	sales price	PU	QR code	picture
561003	009 009	KD940-F-Standard food processing 3x3 EHRLE Coldwater-High-Pressure-Cleaner				
461021	151 151	Bolt-On Unloader VRF2-P 30l/min with TST-45 bar, Injector Ø2,1, M22x1,5M				
598300	107 107	Cable H07RN-F4G1.5 black KD3x3 EU 5,0 m long				
5350	106 106	Cable joint nut M16x1,5 grey				
5346	106 106	Cable joint PERFECT M16x1,5				
261000	120 120	Cableclip red for connection cable H07RN-F 3x1,5 , 4x1,5				
800566	134 134	Chassis KD3x3 INOX KD940-Food		pcs.		
601655	012 012	Chassis rotation-moulded Standard KD3x3 DAP Compound transparent				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
2940	410 410	Clip-Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				
461023	151 151	Connection-KIT Bolt-On Unloader for HP-Pump E1B, E2B, E3B				
23164	108 108	Contactor KLIBO 7,5 400V/50Hz 420V/60Hz 3s/1Hs				
35094	103 103	Controlboard Etronic 3 400V				
601180	120 120	Cover KD3x3 ABS natural high polish blue RAL5005				
800561	134 134	Covering Stainless steel 1.4301 float box KD623, KD823, KD940 Standard		pcs.		
5315	410 410	Cross recessed pan head tapping screw C-H DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel				
2017	134 134	Disc starlock with stainless steel cap for wheel 20mm				
265510	110 110	Distance disc Ø1=21 Ø2=35 10mm brass 2.0401				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
33034	132	Double spraylance stainless steel 900mm 15° angled																																																																																									
	132	nozzle protection red 1/4"F, nozzle 25060 1/4"M VA					33031	132	Double spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			578716	120	Electric box BG90/100 KD3x3					120	PP grey consisting of an upper and lower part			348702	407	Electric-Motor 3AC230/400V 50Hz 4,0kW MEC100					407	1500rpm B3/B14 hollowshaft Ø24mm flange 90/75			2093	405	Fitting-Hose nipple brass hex					405	1/4" M 6mm			5098	405	Fitting-Reducer brass hex SW24					405	1/2"x1/4" M.F.			3759	405	Fitting-Reducing nipple brass hex SW28					405	3/4"x1/2" M.M. 38,3mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120
33031	132	Double spraylance stainless steel 900mm 15° angled																																																																																									
	132	KEW quick-coupling, nozzle protection red 1/4"F					578716	120	Electric box BG90/100 KD3x3					120	PP grey consisting of an upper and lower part			348702	407	Electric-Motor 3AC230/400V 50Hz 4,0kW MEC100					407	1500rpm B3/B14 hollowshaft Ø24mm flange 90/75			2093	405	Fitting-Hose nipple brass hex					405	1/4" M 6mm			5098	405	Fitting-Reducer brass hex SW24					405	1/2"x1/4" M.F.			3759	405	Fitting-Reducing nipple brass hex SW28					405	3/4"x1/2" M.M. 38,3mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120	PA6 red										
578716	120	Electric box BG90/100 KD3x3																																																																																									
	120	PP grey consisting of an upper and lower part					348702	407	Electric-Motor 3AC230/400V 50Hz 4,0kW MEC100					407	1500rpm B3/B14 hollowshaft Ø24mm flange 90/75			2093	405	Fitting-Hose nipple brass hex					405	1/4" M 6mm			5098	405	Fitting-Reducer brass hex SW24					405	1/2"x1/4" M.F.			3759	405	Fitting-Reducing nipple brass hex SW28					405	3/4"x1/2" M.M. 38,3mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120	PA6 red																					
348702	407	Electric-Motor 3AC230/400V 50Hz 4,0kW MEC100																																																																																									
	407	1500rpm B3/B14 hollowshaft Ø24mm flange 90/75					2093	405	Fitting-Hose nipple brass hex					405	1/4" M 6mm			5098	405	Fitting-Reducer brass hex SW24					405	1/2"x1/4" M.F.			3759	405	Fitting-Reducing nipple brass hex SW28					405	3/4"x1/2" M.M. 38,3mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120	PA6 red																																
2093	405	Fitting-Hose nipple brass hex																																																																																									
	405	1/4" M 6mm					5098	405	Fitting-Reducer brass hex SW24					405	1/2"x1/4" M.F.			3759	405	Fitting-Reducing nipple brass hex SW28					405	3/4"x1/2" M.M. 38,3mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120	PA6 red																																											
5098	405	Fitting-Reducer brass hex SW24																																																																																									
	405	1/2"x1/4" M.F.					3759	405	Fitting-Reducing nipple brass hex SW28					405	3/4"x1/2" M.M. 38,3mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120	PA6 red																																																						
3759	405	Fitting-Reducing nipple brass hex SW28																																																																																									
	405	3/4"x1/2" M.M. 38,3mm					384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3503	120	Gun bracket short horizontal mounting					120	PA6 red																																																																	
384552	410	Flange button head screw with inside hexagon																																																																																									
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel					3503	120	Gun bracket short horizontal mounting					120	PA6 red																																																																												
3503	120	Gun bracket short horizontal mounting																																																																																									
	120	PA6 red																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
386214	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x12 stainless steel				
386220	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x40 stainless steel				
386209	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x16 stainless steel				
386217	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x25 stainless steel				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
27121	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M8 stainless steel				
52742	410 410	Hexagon socket head cap screws 8.8 DIN 912 DIN-EN-ISO 4762 M6x30 zinc plated				
252104	402 402	HP-Hose rubber steel mesh blue DN08 315bar 150°C bs HSC M22x1,5 bs bend protection 10m				
361377	406 406	HP-Pump IP SS1B1514 SSR HT Ø18 14l/min 150bar 1450rpm				

Sales Pricelist

5/25/2023



item number	item group discount group	description	sales price	PU	QR code	picture
591724	410 410	JD-79 Chipboard screw, countersunk head Z M4,5x25 zinc plated				
800564	134 134	Motor socket BG100 KD3x3 INOX KD940-Food		pcs.		
214507	108 108	Overload-Protection 3 pole 10,5A				
373410	134 134	Pneumatic tired Wheel 260mm HD-F/KD-F grey c/w red wheel rim				
587105	014 014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M connection back centric, INOX-case				
110055	134 134	Push Bar Series KD3x3 Standard				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
110059	403 403	PVC-Hose transparent 6x9mm 570mm 7,0bar -20°C/+65°C		pcs.		
299002	120 120	Rotating knob switch on- off ABS Terloran GP35 red				

Sales Pricelist

5/25/2023



item number	item group discount group	description	sales price	PU	QR code	picture
578713	120 120	Rubber feet for chassis TPE-V black				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
598900	189 189	Sticker EHRLE 137x35mm transparent				
591107	189 189	Sticker KD940-F Standard royalplast FTC-Ultra, printed blue, 70mm round				
303790	189 189	Sticker noise 83 dB 42x47mm				
205027	189 189	Sticker typeplate pump SS1B1514 SSR HT Royalplast FTC-Ultra, red, 64x20,5mm				
590500	189 189	Sticker warning notice yellow 102x62mm red-black printed				
204615	108 108	Switch On/Off 2 poles V2N A2-F25H-X-XG9				
578717	120 120	Switchbox seal BG90/100 KD3x3 TPE-V black				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																										
601192	120	Terminal box cover KD3x3 Standard																																																																														
	120	ABS natural high polish blue RAL5005					330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			204830	134	Tubular frame KD3x3					134	Stainless steel 1.4301 electrically polished			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			264405	134	Waterinlet filter G3/4"F					134				5347	106	Wire-joint nut M20x1,5 grey					106				5345	106	Wire-joint PERFECT M20*1,5					106
330010	132	Trigger gun standard 280bar 30l/min																																																																														
	132	150°C with quick- coupling red, M22x1,5					204830	134	Tubular frame KD3x3					134	Stainless steel 1.4301 electrically polished			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			264405	134	Waterinlet filter G3/4"F					134				5347	106	Wire-joint nut M20x1,5 grey					106				5345	106	Wire-joint PERFECT M20*1,5					106											
204830	134	Tubular frame KD3x3																																																																														
	134	Stainless steel 1.4301 electrically polished					38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			264405	134	Waterinlet filter G3/4"F					134				5347	106	Wire-joint nut M20x1,5 grey					106				5345	106	Wire-joint PERFECT M20*1,5					106																						
38781	410	Washer DIN 9021 DIN- EN-ISO 7093																																																																														
	410	Ø1=5,3mm Ø2=15mm stainless steel					27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			264405	134	Waterinlet filter G3/4"F					134				5347	106	Wire-joint nut M20x1,5 grey					106				5345	106	Wire-joint PERFECT M20*1,5					106																																	
27051	410	Washer type A DIN 125 DIN-EN-ISO 7089																																																																														
	410	Ø1=8,4mm Ø2=16mm stainless steel					264405	134	Waterinlet filter G3/4"F					134				5347	106	Wire-joint nut M20x1,5 grey					106				5345	106	Wire-joint PERFECT M20*1,5					106																																												
264405	134	Waterinlet filter G3/4"F																																																																														
	134						5347	106	Wire-joint nut M20x1,5 grey					106				5345	106	Wire-joint PERFECT M20*1,5					106																																																							
5347	106	Wire-joint nut M20x1,5 grey																																																																														
	106						5345	106	Wire-joint PERFECT M20*1,5					106																																																																		
5345	106	Wire-joint PERFECT M20*1,5																																																																														
	106																																																																															